

# Measuring DNSSEC Use

Geoff Huston  
APNIC Labs



We all know...

We all know...

what DNSSEC does.

**We all know...**

And why its probably a Good Thing to do if you are a zone admin or a DNS resolver operator

# We all know...


And why its probably a Good Thing to do if you are a zone admin or a DNS resolver operator.

And why its probably good for end users to use DNSSEC-validating resolvers as well.

**We all know...**

And we've all seen various measurements of how many zones are DNSSEC-signed...

# DNSSEC-Signed TLDs at the Root



# We all know...

And we've all seen various zones are DMS

How many

But these are generally supply-side measurements

What about the demand side?

if you sign it will they come to validate it?



But what we don't know is...

What will happen to your authoritative name server when you serve a signed zone?

Will you experience:

Query load meltdown?

TCP session overload?

DDOS amplification from hell?

No change?

# Our Questions...

- What proportion of the Internet's users will perform DNSSEC validation if they are presented with a signed domain?
- Where are these DNSSEC-validating users?
- What is the performance overhead of serving signed names?
- What happens when the DNSSEC signature is not valid?

# The Experiment

Three URLs:

the good (DNSSEC signed)

the bad (invalid DNSSEC signature)

the control (no DNSSEC at all)

And an online ad system to deliver the test to a large pseudo-random set of clients

# Experimental Nits


- DNS caching (for our experiment) is evil !
  - So we want to deliver a unique signed zone to each instance of the experiment
  - And we want to run the experiment across millions of users
  - But massive Signed Zones are a PITA!
  - And we wanted a very simple approach That Just Worked

# Experimental Nits


- We opted to use a more modest set of 1M signed subdomains
  - And cycled through these subdomains over a >24 hour period
  - As long as the resolvers honor the cache TTL of the DNSSEC RRs then resolver caching is avoided and all queries will head to our authoritative server

# Understanding DNS Resolvers is "tricky"

What we would like to think happens in DNS resolution!




# Understanding DNS Resolvers is "tricky"



A small sample of what appears to happen in DNS resolution


# Understanding DNS Resolvers is "tricky"

The best model we can use for DNS resolution





# Understanding Resolvers is "tricky"



if we combine www and dns data we can map clients to the visible resolvers that query our server

# This means...

That it's hard to talk about “all resolvers”

- We don't know the ratio of the number of resolvers we cannot see compared to the resolvers we can see from the perspective of an authoritative name server

We can only talk about “visible resolvers”

# This means...

And there is an added issue here:

- It can be hard to tell the difference between a visible resolver performing DNSSEC validation and an occluded validating resolver performing validation via a visible non-validating forwarder

(Yes, I know it's a subtle distinction, but it makes looking at **RESOLVERS** difficult!)

## This means...

It's easier to talk about end clients rather than resolvers, and whether these end clients use / don't use a DNS resolution service that performs DNSSEC validation

# On to Some Results

## December 2013

- Presented: 5,683,295 experiments to clients
- Reported: 4,978,829 experiments that ran to “completion”

### Web results for clients:

- Did Not Fetch invalidly signed object: **7.1%**
- Fetched all URLs: **92.9%**

## That means...

That 7.1% of clients use DNSSEC validating resolvers, because these clients did not fetch the object that had the invalid DNSSEC signature

Right?

# That means...

That 7.1% of clients use DNSSEC validating resolvers, because these clients did not fetch the object that had the invalid DNSSEC signature

Right?

*Well, not really, due to the experimental technique.*

*We can learn more if we look at the logs of the DNS queries...*

# Refining these Results

December 2013

- Presented: 5,683,295 experiments
- Reported: 4,978,929 experiments that ran to “completion”

Web + DNS query log results for clients:

- Performed DNSSEC signature validation and did not fetch the invalidly signed object: **6.8%**
- Fetched DNSSEC RRs, but then retrieved the invalidly signed object anyway: **4.7%**
- Did not have a DNSSEC clue at all - only fetched A RRs: **88.5%**



## That means...

That **6.8%** of clients appear to be performing DNSSEC validation and not resolving DNS names when the DNSSEC signature cannot be validated

A further **4.7%** of clients are using a mix of validating and non-validating resolvers, and in the case of a validation failure turn to a non-validating resolver!

# Where is DNSSEC? - The Top 20

Rank	CC Code	Tests	Validating (%)	Mixed (%)	None (%)	
1	YE	2,279	70.8%	11.2%	18.0%	Yemen
2	SE	5,983	67.2%	4.5%	28.2%	Sweden
3	SI	5,883	51.0%	6.1%	42.9%	Slovenia
		2,112	44.7%	4%	50.9%	tonia
		4,996	42.4%	3%	45.8%	m
		3,556	41.0%	4%	55%	
		10,468	30.8%	4%	60%	
		1,204	29.8%	6%	58%	
		110,380	26.8%	6%	64%	
10	CL	21,167	26.6%	8%	70%	
11	ZA				68%	
12	UA				65.2%	Ukraine
13	ID				68.2%	Indonesia
14	IE				76.3%	Ireland
15	TZ				63.8%	Tanzania
16	CO				73.3%	Colombia
17	DZ				43.4%	Algeria
18	PS				53.2%	Occupied Palestinian T.
19	AZ	5,095	18.2%	18.4%	63.4%	Azerbaijan
20	US	311,740	15.2%	3.5%	81.3%	United States of America
	<b>XA</b>	<b>5,331,072</b>	<b>6.7%</b>	<b>4.8%</b>	<b>88.5%</b>	<b>World</b>

*% of clients who appear to use only DNSSEC-validating resolvers*

*% of clients who use non-validating resolvers*

*% of clients who use a mix of DNSSEC-validating resolvers and non-validating resolvers*

*Geo-locate clients to countries, and select countries with more than 1,000 data points*

# Where is DNSSEC? - The Top 20

Rank	CC Code	Tests	Validating (%)	Mixed (%)	None (%)	
1	YE	2,279	70.8%	11.2%	18.0%	Yemen
2	SE	5,983	67.2%	4.6%	28.2%	Sweden
3	SI	5,883	51.0%	6.1%	42.9%	Slovenia
4	EE	2,132	44.7%	4.4%	50.9%	Estonia
5	VN	114,996	42.4%	11.8%	45.8%	Vietnam
6	FI	3,556	41.0%	3.4%	55.6%	Finland
7	CZ	10,468	30.8%	8.4%	60.9%	Czech Republic
8	LU	1,204	29.8%	11.6%	58.6%	Luxembourg
9	TH	110,380	26.8%	8.6%	64.7%	Thailand
10	CL	21,167	26.6%	2.8%	70.7%	Chile
11	ZA	12,398	26.2%	5.8%	68.0%	South Africa
12	UA	32,916	25.0%	9.8%	65.2%	Ukraine
13	ID	89,331	22.0%	9.8%	68.2%	Indonesia
14	IE	7,679	20.7%	3.0%	76.3%	Ireland
15	TZ	1,724	20.7%	15.6%	63.8%	Tanzania
16	CO	25,440	20.3%	6.5%	73.3%	Colombia
17	DZ	16,198	19.1%	37.5%	43.4%	Algeria
18	PS	8,441	18.5%	28.3%	53.2%	Occupied Palestinian T.
19	AZ	5,095	18.2%	18.4%	63.4%	Azerbaijan
20	US	311,740	15.2%	3.5%	81.3%	United States of America
	<b>XA</b>	<b>5,331,072</b>	<b>6.7%</b>	<b>4.8%</b>	<b>88.5%</b>	<b>World</b>

*Geo-locate clients to countries, and select countries with more than 1,000 data points*

# Where is DNSSEC? - The bottom 20


Rank	CC Code	Tests	Validating (%)	Mixed (%)	None (%)	
97	CN	1,215,241	1.9%	2.1%	96.0%	China
98	SA	45,243	1.7%	2.1%	96.2%	Saudi Arabia
99	MD	3,168	1.6%	1.9%	96.5%	Republic of Moldova
100	FR	86,888	1.6%	1.0%	97.4%	France
101	NZ	31,683	1.6%	15.0%	83.4%	New Zealand
102	BE	15,243	1.5%	3.8%	94.7%	Belgium
103	PR	3,521	1.5%	13.0%	85.5%	Puerto Rico
104	LT	14,984	1.4%	1.7%	96.9%	Lithuania
105	SG	36,420	1.4%	4.8%	93.8%	Singapore
106	BS	1,158	1.4%	2.7%	95.9%	Bahamas
107	HR	8,856	1.4%	1.2%	97.5%	Croatia
108	OM	6,147	1.3%	2.0%	96.7%	Oman
109	TT	2,497	1.3%	3.4%	95.3%	Trinidad and Tobago
110	ME	3,552	1.3%	3.5%	95.3%	Montenegro
111	LV	2,041	1.2%	3.3%	95.4%	Latvia
112	PT	17,641	1.2%	2.0%	96.8%	Portugal
113	MU	3,452	1.1%	1.7%	97.2%	Mauritius
114	BH	4,231	1.1%	5.7%	93.2%	Bahrain
115	AE	47,996	1.0%	1.0%	98.0%	United Arab Emirates
116	JO	10,527	0.9%	1.3%	97.9%	Jordan
117	QA	15,975	0.4%	0.8%	98.8%	Qatar
118	KR	668,885	0.3%	0.4%	99.3%	Republic of Korea
	<b>XA</b>	<b>5,331,072</b>	<b>6.7%</b>	<b>4.8%</b>	<b>88.5%</b>	<b>World</b>

*Geo-locate clients to countries, and select countries with more than 1,000 data points*

# Most importantly...

Rank	CC Code	Tests	Validating	Mixed	None	Country
35	AU	22,173	10.72	2.68	86.6	Australia
101	NZ	31,683	1.57	15.04	83.39	New Zealand

# The Mapped view of DNSSEC Use



# Why

is it that 7% of users performing DNSSEC validation is about 3 times the number of users who are capable of using IPv6?

Why has DNSSEC deployment been so successful compared to IPv6?

# Is Google's P-DNS a Factor?



## Google Online Security Blog

The latest news and insights from Google on security and safety on the Internet

## Google Public DNS Now Supports DNSSEC Validation

Tuesday, March 19, 2013 8:30 AM

Posted by Yunhong Gu, Team Lead, Google Public DNS

We [launched](#) Google Public DNS three years ago to help make the Internet faster and more secure. Today, we are taking a major step towards this security goal: we now fully support DNSSEC ([Domain Name System Security Extensions](#)) validation on our Google Public DNS resolvers. Previously, we accepted and forwarded DNSSEC-formatted messages but did not perform validation. With this new security feature, we can better protect people from DNS-based attacks and make DNS more secure overall by identifying and rejecting invalid responses from DNSSEC-protected domains.

DNS translates human-readable domain names into IP addresses so that they are accessible by computers. Despite its critical role in Internet applications, the lack of security protection for DNS up to this point meant that a significantly large portion of today's Internet attacks target the name resolution process, attempting to return the IP addresses of malicious websites to DNS queries. Probably the most common DNS attack is [DNS cache poisoning](#), which tries to "pollute" the cache of DNS resolvers (such as Google Public DNS or those provided by most ISPs) by injecting spoofed responses to upstream DNS queries.



# Another observation from the data

- Clients who used Google's Public DNS servers: **10.4%**
- Exclusively Used Google's P-DNS: **5.4%**
  - Used a mix of Google's P-DNS and other resolvers: **5.0%**

# Is Google's P-DNS a Factor?

Rank	CC Code	DNSSEC Validation		Google Public DNS			
		Tests	Validating	All	Mixed	None	
1	YE	2,279	70.8%	6.5%	5.0%	88.5%	Yemen
			7.2%	2.1%	0.4%	97.5%	Sweden
			1.1%	5.0%	4%	94.7%	Slovenia
			1.0%	4.2%	1%	94.8%	Yemen
			2.4%	98.7%	0.3%	0.1%	
			1.0%	2.1%	0.8%	9	
			0.8%	13.8%	0.5%	7	
			9.8%	15.9%	0.8%	8	
			6.8%	15	5.9%	7	
10	CL	21,167	26.6%		0.4%	9	
11	ZA	12,				8	
12	UA	32,				76.9%	Ukraine
13	ID	89,				19.8%	Indonesia
14	IE	7,				81.9%	Ireland
15	TZ	1,				0.6%	Tanzania
16	CO	25,				85.8%	Colombia
17	DZ	16,198	19.1%	71.2%	27.7%	1.1%	Algeria
18	PS	8,441	18.5%	51.8%	29.2%	19.0%	Occupied Palestinian T.
19	AZ	5,095	18.2%	68.5%	9.6%	21.9%	Azerbaijan
20	US	311,740	15.2%	10.6%	2.9%	86.4%	United States of America
	XA	5,331,072	6.7%	50.2%	7.3%	42.5%	World

*% of validating clients who exclusively use Google's P-DNS*

*% of clients who do not use Google's P-DNS service*

*% of clients who use a mix of Google's P-DNS and other resolvers*

*Of those clients who perform DNSSEC validation, what resolvers are they using: All Google P-DNS? Some Google P-DNS? No Google P-DNS?*

# Is Google's P-DNS a Factor?

Rank	CC Code	DNSSEC Validation		Google Public DNS			
		Tests	Validating	All	Mixed	None	
1	YE	2,279	70.8%	6.5%	5.0%	88.5%	Yemen
2	SE	5,983	67.2%	2.1%	0.4%	97.5%	Sweden
3	SI	5,883	51.0%	5.0%	0.4%	94.7%	Slovenia
4	EE	2,132	44.7%	4.2%	1.1%	94.8%	Estonia
5	VN	114,996	42.4%	98.7%	1.3%	0.1%	Vietnam
6	FI	3,556	41.0%	2.1%	0.8%	97.1%	Finland
7	CZ	10,468	30.8%	13.8%	6.5%	79.7%	Czech Republic
8	LU	1,204	29.8%	15.9%	0.8%	83.3%	Luxembourg
9	TH	110,380	26.8%	15.9%	5.9%	78.3%	Thailand
10	CL	21,167	26.6%	6.2%	0.4%	93.4%	Chile
11	ZA	12,398	26.2%	8.0%	3.0%	89.0%	South Africa
12	UA	32,916	25.0%	20.1%	3.0%	76.9%	Ukraine
13	ID	89,331	22.0%	72.2%	8.1%	19.8%	Indonesia
14	IE	7,679	20.7%	17.0%	1.1%	81.9%	Ireland
15	TZ	1,724	20.7%	94.4%	5.1%	0.6%	Tanzania
16	CO	25,440	20.3%	12.7%	1.5%	85.8%	Colombia
17	DZ	16,198	19.1%	71.2%	27.7%	1.1%	Algeria
18	PS	8,441	18.5%	51.8%	29.2%	19.0%	Occupied Palestinian T.
19	AZ	5,095	18.2%	68.5%	9.6%	21.9%	Azerbaijan
20	US	311,740	15.2%	10.6%	2.9%	86.4%	United States of America
	<b>XA</b>	<b>5,331,072</b>	<b>6.7%</b>	<b>50.2%</b>	<b>7.3%</b>	<b>42.5%</b>	<b>World</b>

*Of those clients who perform DNSSEC validation, what resolvers are they using: All Google P-DNS? Some Google P-DNS? No Google P-DNS?*

# Is Google's P-DNS a Factor?

Rank	CC Code	DNSSEC Validation		Google Public DNS			
		Tests	Validating	All	Mixed	None	
1	YE	2,279	70.8%	6.5%	5.0%	88.5%	Yemen
2	SE	5,983	67.2%	2.1%	0.4%	97.5%	Sweden
3	SI	5,883	51.0%	5.0%	0.4%	94.7%	Slovenia
4	EE	2,132	44.7%	4.2%	1.1%	94.8%	Estonia
5	VN	114,996	42.4%	98.7%	1.3%	0.1%	Vietnam
6	FI	3,556	41.0%	2.1%	0.8%	97.1%	Finland
7	CZ	10,468	30.8%	13.8%	6.5%	79.7%	Czech Republic
8	LU	1,204	29.8%	15.9%	0.8%	83.3%	Luxembourg
9	TH	110,380	26.8%	15.9%	5.9%	78.3%	Thailand
10	CL	21,167	26.6%	6.2%	0.4%	93.4%	Chile
11	ZA	12,398	26.2%	8.0%	3.0%	89.0%	South Africa
12	UA	32,916	25.0%	20.1%	3.0%	76.9%	Ukraine
13	ID	89,331	22.0%	72.2%	8.1%	19.8%	Indonesia
14	IE	7,679	20.7%	17.0%	1.1%	81.9%	Ireland
15	TZ	1,724	20.7%	94.4%	5.1%	0.6%	Tanzania
16	CO	25,440	20.3%	12.7%	1.5%	85.8%	Colombia
17	DZ	16,198	19.1%	71.2%	27.7%	1.1%	Algeria
18	PS	8,441	18.5%	51.8%	29.2%	19.0%	Occupied Palestinian T.
19	AZ	5,095	18.2%	68.5%	9.6%	21.9%	Azerbaijan
20	US	311,740	15.2%	10.6%	2.9%	86.4%	United States of America
	<b>XA</b>	<b>5,331,072</b>	<b>6.7%</b>	<b>50.2%</b>	<b>7.3%</b>	<b>42.5%</b>	<b>World</b>

*Of those clients who perform DNSSEC validation, what resolvers are they using: All Google P-DNS? Some Google P-DNS? No Google P-DNS?*

# DNSSEC by Networks - the Top

## 25

Rank	ASN Tests	DNSSEC Validation			Google P-DNS			AS Name
		Validating	Mixed	None	All	Mixed	None	
1	AS22047 5,376	98%	1%	1%	1%	0%	99%	VIP
2	AS16232 1,818	98%	1%	1%	2%	0%	98%	ASN-TIM TIM (Telecom Italia Mobile) Autonomous Syst
		97%	1%	2%	1%	0%	99%	ikom-Internet, ZA, South Africa
		97%	1%	2%	1%	1%	98%	COMHEM SWEDEN Com Hem Sweden, SE, Sweden
		96%	1%	2%	1%	0%	96%	ERA Polska Telekomunikacji S.A., PL, Poland
		95%	1%	4%	1%	1%	97%	KABELBW-ASN Kabel BW, DE, Germany
		94%	1%	5%	3%	1%	96%	SKYBB-AS-AP AS-SKYBroad
		94%	1%	4%	1%	1%	97%	JASTEL NETWORK-TH-AP JasTel Net
		93%	1%	3%	0%	1%	98%	TRIPLET-AS-AP TripleT Internet Intern
		93%	1%	5%	25%	1%	74%	ASMedi, MA, Morocco
		93%	1%	6%	1%	1%	99%	QTNET Kyushu Communication Netwo
		92%	1%	5%	5%	1%	92%	UKRTELNET JSC UKRTELNET, UA
13	AS34779 1,043	91%	1%	6%	2%	1%	96%	T-2-AS T-2, d.o.o., SI
14	AS198471 722	91%	1%	6%	95%	2%	95%	LINKEM-AS Linkem spa, IT, Italy
15	AS5466 1,463	91%	1%	6%	3%	1%	96%	IE, Ireland
16	AS28220 562	91%	1%	0%	5%	1%	96%	TELECOMUNICACAOES S.A. BR, Brazil
17	AS198471 722	91%	1%	6%	6%	1%	96%	Telefonika Srbija, RS, Serbia
18	AS198471 722	91%	1%	6%	0%	1%	96%	enije d.o.o., HR, Croatia
19	AS198471 722	91%	1%	6%	3%	1%	96%	East Caribbean Telecommunications Authority
20	AS198471 722	91%	1%	6%	97%	1%	96%	Bank Corporation, KY, Kyrgyzstan Territory
21	AS198471 722	91%	1%	6%	3%	1%	96%	es Ltd., SG, Singapore
22	AS198471 722	91%	1%	6%	3%	1%	96%	ly Solutions, SG, Singapore
23	AS198471 722	91%	1%	6%	1%	1%	99%	TELE2, SE, Sweden
24	AS198471 722	91%	1%	6%	2%	2%	96%	ELISA-AS Elisa Oyj, FI, Finland
25	AS198471 722	91%	1%	6%	0%	0%	99%	TSF-IP-CORE Teliasonera Finl
					5%	5%	90%	Internet

*% of clients who do not use Google's P-DNS*

*% of clients who appear to use DNSSEC-validating resolvers*

*% of clients who use Google's P-DNS and other resolvers*

*% of clients who use a mix of DNSSEC-validating resolvers and non-validating resolvers*

*% of clients who use non-validating resolvers*

*% of clients who exclusively use Google's P-DNS*

*Map client IP to origin AS, and select origin ASs with more than 500 data points*

# DNSSEC by Networks - the Top 25

Rank	ASN Tests	DNSSEC Validation			Google P-DNS				
		Validating	Mixed	None	All	Mixed	None		
1	AS22047	5,376	98%	1%	1%	1%	0%	99%	VTR BANDA ANCHA S.A., CL, Chile
2	AS16232	1,818	98%	1%	1%	2%	0%	98%	ASN-TIM TIM (Telecom Italia Mobile) Autonomous System, IT, Italy
3	AS37457	2,051	97%	1%	2%	1%	0%	99%	Telkom-Internet, ZA, South Africa
4	AS39651	860	97%	1%	2%	1%	1%	98%	COMHEM-SWEDEN Com Hem Sweden, SE, Sweden
5	AS12912	613	96%	1%	2%	2%	0%	98%	ERA Polska Telefonii Cyfrowa S.A., PL, Poland
6	AS29562	1,263	95%	1%	4%	2%	1%	97%	KABELBW-ASN Kabel BW GmbH, DE, Germany
7	AS23944	749	94%	1%	5%	3%	1%	96%	SKYBB-AS-AP AS-SKYBroadband SKY Cable Corporation, PH, Philippines
8	AS45629	8,759	94%	3%	4%	1%	1%	97%	JASTEL-NETWORK-TH-AP JasTel Network International Gateway, TH, Thailand
9	AS45758	15,833	93%	4%	3%	0%	2%	98%	TRIPLETNET-AS-AP TripleT Internet Internet service provider Bangkok, TH, Thailand
10	AS36925	1,012	93%	2%	5%	25%	1%	74%	ASMedi, MA, Morocco
11	AS7679	551	93%	1%	6%	1%	0%	99%	QTNET Kyushu Telecommunication Network Co., Inc., JP
12	AS6849	6,301	92%	3%	5%	5%	3%	92%	UKRTELNET JSC UKRTELECOM, , UA
13	AS34779	1,043	91%	3%	6%	2%	0%	98%	T-2-AS T-2, d.o.o., SI
14	AS198471	722	91%	4%	6%	95%	2%	4%	LINKEM-AS Linkem spa, IT, Italy
15	AS5466	1,463	90%	3%	6%	3%	1%	97%	EIRCOM Eircom Limited, IE, Ireland
16	AS28220	563	89%	2%	9%	5%	1%	94%	CABO SERVICOS DE TELECOMUNICACOES LTDA, BR, Brazil
17	AS5610	2,094	88%	3%	9%	6%	7%	87%	TO2-CZECH-REPUBLIC Telefonica Czech Republic, a.s., CZ
18	AS5603	1,505	88%	3%	9%	0%	1%	99%	SIOL-NET Telekom Slovenije d.d., SI, Slovenia
19	AS7922	43,438	87%	3%	9%	3%	1%	96%	COMCAST-7922 - Comcast Cable Communications, Inc., US
20	AS51737	753	87%	9%	4%	97%	2%	1%	SUPERLINK-AS SuperLink Communications Co, PS, Occupied Palestinian Territory
21	AS3249	1,093	84%	5%	10%	3%	1%	97%	ESTPAK Elion Enterprises Ltd., EE, Estonia
22	AS5645	1,993	83%	2%	14%	3%	0%	96%	TEKSAVVY-TOR TekSavvy Solutions Inc. Toronto, CA, Canada
23	AS1257	880	83%	1%	16%	1%	1%	99%	TELE2, SE, Sweden
24	AS719	655	82%	2%	16%	2%	2%	96%	ELISA-AS Elisa Oyj, FI, Finland
25	AS1759	1,080	82%	4%	15%	0%	0%	99%	TSF-IP-CORE TeliaSonera Finland IP Network, FI, Finland
		<b>5,331,072</b>	<b>7%</b>	<b>5%</b>	<b>88%</b>	<b>5%</b>	<b>5%</b>	<b>90%</b>	<b>Internet</b>

*Map client IP to origin AS, and select origin ASs with more than 500 data points*

# DNSSEC by Networks - New Zealand

Rank	ASN Tests	DNSSEC Validation			Google P-DNS				
		Validating	Mixed	None	All	Mixed	None		
525	AS17746	1,655	1.0%	0.3%	98.7%	0.9%	0.7%	98.4%	ORCONINTERNET-NZ-AP Orcon Internet, NZ, New Zealand
551	AS9790	2,452	0.9%	0.4%	98.8%	0.8%	0.3%	98.9%	CALLPLUS-NZ-AP CallPlus Services Limited, NZ, New Zealand
617	AS7657	584	0.9%	1.2%	98.0%	2.1%	0.0%	98.0%	VODAFONE-NZ-NGN-AS Vodafone NZ Ltd., NZ, New Zealand
666	AS4771	7,712	0.9%	0.8%	98.3%	1.3%	0.2%	98.5%	NZTELECOM Telecom New Zealand Ltd., NZ, New Zealand
668	AS4768	7,735	0.9%	0.5%	98.6%	1.2%	0.3%	98.5%	CLIX-NZ TelstraClear Ltd, NZ, New Zealand

*Map client IP to origin AS, and select origin ASs with more than 500 data points*

# DNSSEC by Networks - New Zealand

Rank	ASN Tests	DNSSEC Validation			Google P-DNS				
		Validating	Mixed	None	All	Mixed	None		
138	AS58600	162	85%	14%	1%	0%	14%	86%	FLIP-AS-AP Flip Services Limited, NZ, New Zealand
212	AS17705	88	73%	20%	7%	0%	0%	100%	INSPIRENET-AS-AP InSPire Net Ltd, NZ, New Zealand
265	AS38477	24	63%	17%	21%	4%	0%	96%	UNLEASH-AS-NZ Unleash, NZ, New Zealand
321	AS55853	118	52%	33%	15%	48%	31%	20%	MEGATEL-AS-AP Megatel, NZ, New Zealand
430	AS56030	22	36%	55%	9%	9%	0%	91%	VOYAGERNET-AS-AP Voyager Internet Ltd., NZ, New Zealand
656	AS24183	27	22%	19%	59%	41%	0%	59%	DTS-ISP-CORE1-AP DTS LTD, NZ, New Zealand
1438	AS9303	57	7%	2%	91%	0%	0%	100%	KCCS-AS-AP KC Computer Service Ltd., , NZ
2067	AS45177	87	3%	1%	95%	5%	0%	95%	LAYER2CO-AS-AP Layer2.co.nz, NZ, New Zealand
2198	AS38793	232	3%	6%	91%	3%	6%	91%	NZCOMMS-AS-AP Two Degress Mobile Limited, NZ, New Zealand
2294	AS45475	38	3%	0%	97%	3%	0%	97%	AMURINET-NZ 236 Flintofts Road, NZ, New Zealand
2344	AS55850	282	2%	0%	97%	3%	0%	97%	TRUSTPOWERLTD-AS-AP TrustPower Ltd, NZ, New Zealand
2368	AS9503	124	2%	7%	90%	7%	2%	91%	FX-PRIMARY-AS FX Networks Limited, NZ, New Zealand
2379	AS45230	42	2%	0%	98%	2%	0%	98%	UBERGROU-AS-NZ UberGroup Limited, NZ, New Zealand
2407	AS10200	43	2%	0%	98%	0%	2%	98%	NETSMART-AP Web hosting provider and ISP connectivity., NZ, New Zealand
2970	AS17746	1,655	1%	0%	99%	1%	1%	98%	ORCONINTERNET-NZ-AP Orcon Internet, NZ, New Zealand
2979	AS23735	105	1%	1%	98%	0%	0%	100%	EOL-AS-AP Eternet Online Ltd, NZ, New Zealand
3024	AS9790	2,452	1%	0%	99%	1%	0%	99%	CALLPLUS-NZ-AP CallPlus Services Limited, NZ, New Zealand
3054	AS17435	249	1%	0%	99%	0%	0%	100%	WXC-AS-NZ WorldxChange Communications LTD, NZ, New Zealand
3069	AS4648	258	1%	3%	96%	3%	3%	94%	NZIX-2 Netgate, NZ, New Zealand
3101	AS23655	418	1%	0%	99%	0%	0%	100%	SNAP-NZ-AS Snap Internet Limited, NZ, New Zealand
3143	AS9245	154	1%	1%	98%	1%	0%	99%	COMPASS-NZ-AP COMPASS NZ, NZ, New Zealand
3175	AS7657	4,544	1%	98%	2%	1%	3%	96%	VODAFONE-NZ-NGN-AS Vodafone NZ Ltd., NZ, New Zealand
3239	AS55872	235	0%	0%	100%	0%	0%	100%	BAYCITY-AS-AP BayCity Communications Limited, NZ, New Zealand
3274	AS4771	14,281	0%	0%	99%	0%	0%	99%	NZTELECOM Telecom New Zealand Ltd., NZ, New Zealand
3278	AS4768	4,234	0%	0%	99%	0%	0%	99%	CLIX-NZ TelstraClear Ltd, NZ, New Zealand
3299	AS17412	383	0%	0%	99%	0%	0%	100%	WOOSHWIRELESSNZ Woosh Wireless, NZ, New Zealand
3444	AS23905	22	0%	0%	100%	0%	0%	100%	VUW-AS-AP Victoria University of Wellington, NZ, New Zealand
3594	AS17492	28	0%	0%	100%	4%	0%	96%	VECTOR-COMMUNICATIONS-AS Vector Communications LTD., NZ, New Zealand
3937	AS23838	20	0%	15%	85%	5%	25%	70%	SOLARIX-INTERNET-AS-AP Solarix Networks Limited, NZ, New Zealand
3957	AS9431	86	0%	0%	100%	0%	0%	100%	AKUNI-NZ The University of Auckland, NZ, New Zealand
4193	AS2570	36	0%	0%	100%	0%	0%	100%	TAS-TELECOM-NZ Telecom New Zealand Ltd, NZ, New Zealand
4204	AS38305	38	0%	0%	100%	0%	0%	100%	OTAGO-UNIVERSITY-AS-NZ-AP The University of Otago, NZ, New Zealand
4695	AS24005	28	0%	0%	100%	0%	0%	100%	SAFENZ-TRANSIT-AS-NZ SafeNZ Networks LTD, NZ, New Zealand
4737	AS24324	53	0%	36%	64%	8%	2%	91%	BCL-TRANSIT-AS-AP Kordia Limited, NZ, New Zealand
4797	AS4770	76	0%	0%	100%	0%	0%	100%	ICONZ-AS ICONZ Ltd, NZ, New Zealand
4914	AS45637	28	0%	0%	100%	0%	0%	100%	UNIFONENETWORKS-AS-AP UniFone New Zealand Ltd, NZ, New Zealand
5037	AS9500	112	0%	100%	0%	0%	0%	100%	VODAFONE-TRANSIT-AS Vodafone NZ Ltd., NZ, New Zealand
5092	AS45267	97	0%	4%	96%	0%	3%	97%	LIGHTWIRE-AS-AP Lightwire LTD, NZ, New Zealand
5130	AS9872	110	0%	0%	100%	1%	0%	99%	ITNET-NZ-AS-AP Actrix Networks Ltd, NZ, New Zealand
5200	AS18199	104	0%	0%	100%	0%	0%	100%	LINKTELECOM-NZ-AP Link Telecom (NZ) Limited, NZ, New Zealand
5378	AS9876	88	0%	0%	100%	0%	1%	99%	AIRNET-HB-AS-AP NOW, NZ, New Zealand
5596	AS10022	41	0%	5%	95%	5%	0%	95%	DSLAK-AS-AP Internet access for Datacom Systems Auckland, NZ, New Zealand


All NZ Origin AS's seen in December 2013



# DNS Performance

How can we measure the time taken to resolve each of the three DNSSEC domain name types (signed, unsigned, badly signed)?

# Absolute Measurements don't make much sense...



# Relative Measurements ...


Let's define the FETCH TIME as the time at the authoritative server from the first DNS query for an object to the HTTP GET command for the same object

This time should reflect the DNS resolution time and a single RTT interval for the TCP handshake

If the “base” fetch time is the time to load an unsigned DNSSEC object, then how much longer does it take to load an object that is DNSSEC-signed?


# Result

Server-Side DNS Resolution Time Difference




# Result

Server-Side DNS Resolution Time Difference




# Result

Server-Side DNS Resolution Time Difference




# Invalid DNSSEC Signature

Server-Side DNS Resolution Time Difference



# Invalid DNSSEC Signature

Server-Side DNS Resolution Time Difference






# DNS Query Time

Now let's look at the elapsed time at the DNS server between the first query for a name and the last query


# DNS Query Time

DNS Resolution Time Measurement




# DNS Query Time

DNS Resolution Time Measurement



# The first 2 seconds

DNS Resolution Time Measurement



# What can we say?

## DNSSEC takes longer

- Which is not a surprise
- Additional queries for DS and DNSKEY RRs
- At a minimum that's 2 DNS query/answer intervals
  - Because it appears that most resolvers serialise and perform resolution then validation

## Badly-Signed DNSSEC takes even longer


- Resolvers try hard to find a good validation path
- And the SERVFAIL response causes clients to try subsequent resolvers in their list

## At the other end...

Let's look at performance from the perspective of an Authoritative Name server who serves DNSSEC-signed domain names


# DNS Query count per Domain Name

DNS Query Count



# DNS Query count per Domain Name

DNS Query Count





# DNSSEC Performance

At the Authoritative Name Server:

Serving DNSSEC-signed zones = More Queries!

- The Authoritative server will now see additional queries for the DNSKEY and DS RRs for a zone, in addition to the A (and AAAA) queries

**6,095,289** launched experiments

**8,367,427** unsigned name queries

**12,375,232** signed name queries

**20,130,781** badly-signed name queries

# What if everybody was doing it?

For the control name there are 1.4 queries per experiment

The total profile of queries for the control DNS name was:

7.4M A queries

0.7M AAAA queries

0.2M Other (NS, MX, ANY, SOA, CNAME, TXT, A6) queries

For the signed name, only 11.4% of clients use DNSSEC-aware resolvers, so the theory (2 additional queries per name) says we will see 1.4M additional queries, or 9.8M queries in total

But we saw 12.4 M queries for the signed DNS Name

- If 11.5% of clients' resolvers using DNSSEC generate an additional 4.0M queries for a signed domain name, what if every DNS resolver was DNSSEC aware?
- That would be 35M queries in the context of our experiment

**A DNSSEC signed zone would see ~4 times the query level of an unsigned zone if every resolver performed DNSSEC validation**

# Good vs Bad for Everyone

If 12.6% of clients performing some form of DNSSEC validation generate 20.1M queries for a badly-signed name, compared to the no-DNSSEC control level of 8.4M queries, what would be the query load if every resolver performed DNSSEC validation for the same badly signed domain?

- In our case that would be 102M queries

**A badly-signed DNSSEC signed zone would see 12 times the query level of an unsigned zone if every resolver performed DNSSEC validation**

# Response Sizes

What about the relative traffic loads at the server?

In particular, what are the relative changes in the traffic profile for responses from the Authoritative Server?

# DNS Response Sizes

Control (no DNSSEC)

**Query: 124 octets**

**Response: 176 octets**

DNSSEC-Signed

Query: (A Record) 124 octets

Response: 951 Octets

Query: (DNSKEY Record) 80 octets

Response: 342 Octets

Query: (DS Record) 80 octets


Response: 341 Octets

**Total Query: 284 octets**

**Total Response: 1634 octets**


These are not constant sizes - the DNS packet sizes of responses relate to the particular name being resolver, the number of keys being used, and the key size

So these numbers are illustrative of what is going on, but particular cases will vary from these numbers



# Measurement - Response Traffic Volume

Relative Traffic Levels for DNS Responses



# Interpreting Traffic Data

The validly-signed domain name appears to generate 8x the DNS response traffic volume, as compared to the unsigned domain name

The badly-signed domain name appears to generate 10x – 14x the DNS response traffic volume

What's contributing to this?

1. Setting the DNSSEC OK bit in a query to the signed zone raises the response size from 176 to 951 octets
2. Performing DNSSEC signature validation adds a minimum of a further 683 octets in DS and DNSKEY responses

# What if you just sign your domain?

Lets start with the hypothetical question: How much more traffic will you be generating at the Authoritative Server if you sign your domain and NO resolvers perform DNSSEC validation?

84% of A and AAAA queries seen at the authoritative nameserver have the EDNS0 + DNSSEC OK flags set

81.5% of queries for the unsigned zone

83.3% of queries for the signed zone

85.9% of queries for the badly-signed zone

(aside: why are these proportions different for each of these zones?)

If you just sign your zone and NO resolvers are performing DNSSEC validation

84% of queries elicit the larger DNS response then the total outbound traffic load is **4.7x** the traffic load of an unsigned zone

But we saw a rise of **8x** – why?

That's because 12.6 % of clients are also performing DNSSEC validation in various ways



# What if everybody was doing it?

If 12.6% of clients performing some form of DNSSEC validation for a signed zone generate around 8x the traffic as compared to an unsigned zone, then what if every DNS resolver performed DNSSEC validation?

**An authoritative server for a DNSSEC signed zone would see some 13 times the traffic level of an unsigned zone if every resolver performed DNSSEC validation**

**A badly-signed DNSSEC zone would see some 31 times the traffic level of an unsigned zone**

# DNSSEC means more Server Grunt

It's probably a good idea to plan to serve the worst case: a badly signed zone

In which case you may want to consider provisioning the authoritative name servers with processing capacity to handle **15x** the query load, and **30x** the generated traffic load that you would need to serve the unsigned zone when signing the zone

A Couple of Caveats:

# Reality could be better than this...

“Real” performance of DNSSEC could be a lot better than what we have observed here

- We have deliberately negated any form of resolver caching
  - Every client receives a “unique” signed URL, and therefore every DNS resolver has to perform A, DS and DNSKEY fetches for the unique label
  - The Ad placement technique constantly searches for “fresh eyeballs”, so caching is not as efficient as it could be
  - Conventional DNS caching would dramatically change this picture
    - Our 16 day experiment generated 12,748,834 queries
    - A 7 day TTL would cut this to a (roughly estimated) 2M queries

# And it could be a whole lot worse!

- For the invalid DNSSEC case we deliberately limited the impact of invalidity on the server
  - DNSSEC invalidity is not handled consistently by resolvers
  - Some resolvers will perform an exhaustive check of all possible NS validation paths in the event of DNSSEC validation failure
    - See “Roll Over and Die” (<http://www.potaroo.net/ispcol/2010-02/rollover.html>)
  - In this experiment we used a single NS record for the invalidly signed domains
  - If we had chosen to use multiple nameservers, or used a deeper-signed label path, or both, on the invalid label, then the query load would've been (a lot?) higher
- Resolver caching of invalidly signed data is also unclear – so a break in the DNSSEC validation material may also change the caching behaviour of resolvers, and increase load at the server


# Some things to think about

- DNSSEC generates very large responses from very small queries
  - Which makes it a highly effective DDOS amplifier
  - Is relying on BCP38 going to work?
  - Do we need to think about DNS over TCP again?
  - But how many resolvers/firewalls/other middleware stuff support using TCP for DNS?
  - What's the impact on the authoritative server load and caching recursive resolver load when moving from UDP to TCP?

# Some things to think about

## Resolver / Client Distribution

- 1% of visible resolvers provide the server with 58% of the seen queries
- A few resolvers handle a very significant proportion of the total query volume
- But there are an awful lot of small, old, and poorly maintained resolvers running old code out there too!



# Some things to think about

- Google's Public DNS is currently handling queries from ~8% of the Internet's end client population
  - That's around 1 in 12 users
  - In this time of heightened awareness about corporate and state surveillance, and issues around online anonymity and privacy, what do we think about this level of use of Google's Public DNS Service?



# Some things to think about

- Google's Public DNS is currently handling queries from 8% of the Internet's end client popula

popula

– That


– In th

corp

arou

think

DNS



# Some things to think about

Is the DNS borked?

Why do 20% of clients use resolvers that make >1 DNS query for a simple unsigned uncached domain name?

- Is the DNS resolver ecosystem THAT broken that 1 in 5 clients use resolvers that generate repeat queries gratuitously?
- And is it reasonable that 1 in 20 clients take more than 1 second to resolve a simple DNS name?

# Some things to think about

SERVFAIL is not just a “DNSSEC validation is busted” signal

- clients start walking through their resolver set asking the same query
- Which delays the client and loads the server
  - The moral argument: Failure should include a visible cost!
  - The expedient argument: nothing to see here, move along!

Maybe we need some richer signaling in the DNS for DNSSEC validation failure

# Some things to think about

Olde code never seems to die out

We still see A6 queries!

So what about Key rollover and RFC5011 support?

How many resolvers don't support RFC5011 in their key management?

We don't know because we can't get resolvers to signal their capability

If we roll the TA, and if resolvers have hand-installed trust, and don't implement RFC5011 signalling

How many will say "broken DNSSEC" when the old sigs expire?

How many will re-query per NS high in the tree to the authoritative servers?

What percentage of worldwide DNSSEC will do this?

# Some things to think about

- Why do some 84% of queries have EDNS0 and the DNSSEC OK flag set, yet only 6% of clients perform DNSSEC validation?
- How come we see relatively more queries with the DNSSEC OK flag set for queries to domains in signed zones?

Thanks!

